Application/Control Number: 09/978,110

Art Unit: 1723

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Claim 22 was amended to correct its dependency from claim 19, which was cancelled by the applicant, to claim 21.

In line 1 of claim 22, replace '19' with - - 21 --

Allowable Subject Matter

Claims 1-9, 11-13, 17,18, and 21-30 are pending.

Claims 1-9, 11-13, 17,18, and 21-30 are allowed.

The following is an examiner's statement of reasons for allowance: The instant claims recite the element 'strip/carrier/handle ... extending along a plane of the ... ring...", which is not taught by the prior art Rounbehler et al(US 5,808,178), and is not obvious from the prior art because this carrier/strip would obstruct the fan that runs in the radial plane at the top-center of the spiral column of the prior art Rounbehler.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 09/978,110

Art Unit: 1723

Page 3

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Krishnan S Menon whose telephone number is 571-272-1143. The examiner can normally be reached on 8:00-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wanda L Walker can be reached on 571-272-1151. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0661.

Krishnan Menon Patent Examiner W. L. WALKER
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CLASSER 1700